



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 8

999 18<sup>TH</sup> STREET- SUITE 300

DENVER, CO 80202-2466

Phone 800-227-8917

<http://www.epa.gov/region08>

SDMS Document ID



2046850

Ref: 8EPR-SR

April 21, 2006

DENNIS M & ALICE E HUDSON  
2514 CLERMONT ST  
DENVER CO 80207

RE: 3330 FRANKLIN ST. APPRX

Dear Owner,

As part of the VB/I-70 Superfund Site investigation, we recently took soil samples at your property to find out if there is too much lead or arsenic in your yard. *The results show that your property does not require a cleanup.* The levels of both lead and arsenic are below our cleanup levels. The soil sampling results for your property are as follows:

<u>ADDRESS: 3330 FRANKLIN ST. APPRX</u>	<u>EPA Cleanup Levels</u>
---	---------------------------

<b>Lead</b>	
-------------	--

190 parts per million (ppm)	
-----------------------------	--

	above 400 ppm
--	---------------

<b>Arsenic</b>	
----------------	--

6 ppm	
-------	--

	above 70 ppm
--	--------------

This means that your property is not considered by EPA to be part of the VB/I-70 Superfund Site. EPA does not believe that further measures are necessary. You and your family are not at significant risk from arsenic through ordinary contact with soil in your yard while playing, working, gardening, etc. Please note that there may be small areas in your yard, particularly near your house, that may have higher levels of lead due to peeling, external lead-based paint. EPA encourages all owners of older properties to take reasonable precautions regarding lead-based paint.

For further information, please feel free to contact EPA Community Involvement Coordinators Jennifer Chergo at (303) 312-6601 or Patricia Courtney at (303) 312-6631.

Sincerely,

Victor Ketellapper  
Remedial Project Manager  
The Environmental Protection Agency, Region 8

# Evergreen Analytical, Inc.

4036 Youngfield Street, Wheat Ridge, Colorado 80033-3862

(303) 425-6021

Client Sample ID: VB-3330-FR-01

Client Project ID: 213001.01

Date Collected: 3/28/06

Date Received: 4/1/06

Lab Work Order: 06-2069

Lab Sample ID: 06-2069-01

Sample Matrix: Soil

## METALS

Method: SW6010

Prep Method: SW3050

Date Prepared: 4/5/06

Lab File ID: 041006PM

Dilution Factor: 1

Date Analyzed: 4/10/06

Method Blank: MB-9619

Lab Fraction ID: 06-2069-01A

Analytes	CAS Number	Result	LQL	Units
Arsenic	7440-38-2	U	3.9	mg/Kg
Lead	7439-92-1	180	5.7	mg/Kg



Analyst



Approved

Qualifiers: B - Analyte detected in the associated Method Blank, value not subtracted from result  
E - Extrapolated value. Value exceeds calibration range  
H - Sample analysis exceeded analytical holding time  
J - Indicates an estimated value when the compound is detected, but is below the LQL  
S - Spike Recovery outside accepted limits  
U - Compound analyzed for but not detected  
X - See case narrative  
\* - Value exceeded the Maximum Contamination Level (MCL), TCLP limit, or if compound is undetected, LQL exceeds MCL.

Definitions: NA - Not Applicable  
LQL - Lower Quantitation Limit  
Surr - Surrogate

Print Date: 4/17/06

# Evergreen Analytical, Inc.

4036 Youngfield Street, Wheat Ridge, Colorado 80033-3862  
(303) 425-6021

Client Sample ID: VB-3330-FR-02

Client Project ID: 213001.01

Date Collected: 3/28/06

Date Received: 4/1/06

Lab Work Order: 06-2069

Lab Sample ID: 06-2069-02

Sample Matrix: Soil

## METALS

Method: SW6010

Prep Method: SW3050

Date Prepared: 4/5/06

Lab File ID: 041006PM

Dilution Factor: 1

Date Analyzed: 4/10/06

Method Blank: MB-9619

Lab Fraction ID: 06-2069-02A

Analytes	CAS Number	Result	LQL	Units
Arsenic	7440-38-2	5.5	3.8	mg/Kg
Lead	7439-92-1	180	5.6	mg/Kg

  
Analyst

  
Approved

**Qualifiers:** B - Analyte detected in the associated Method Blank, value not subtracted from result  
E - Extrapolated value. Value exceeds calibration range  
H - Sample analysis exceeded analytical holding time  
J - Indicates an estimated value when the compound is detected, but is below the LQL  
S - Spike Recovery outside accepted limits  
U - Compound analyzed for but not detected  
X - See case narrative  
\* - Value exceeded the Maximum Contamination Level (MCL), TCLP limit, or if compound is undetected, LQL exceeds MCL.

**Definitions:** NA - Not Applicable  
LQL - Lower Quantitation Limit  
Surr - Surrogate

Print Date: 4/17/06

Evergreen Analytical, Inc.

4036 Youngfield Street, Wheat Ridge, Colorado 80033-3862

(303) 425-6021

Client Sample ID: VB-3330-FR-03

Client Project ID: 213001.01

Date Collected: 3/28/06

Date Received: 4/1/06

Lab Work Order: 06-2069

Lab Sample ID: 06-2069-03

Sample Matrix: Soil

METALS

Method: SW6010

Prep Method: SW3050

Date Prepared: 4/5/06

Lab File ID: 041006PM

Dilution Factor: 1

Date Analyzed: 4/10/06

Method Blank: MB-9619

Lab Fraction ID: 06-2069-03A

Analytes	CAS Number	Result	LQL	Units
Arsenic	7440-38-2	U	3.8	mg/Kg
Lead	7439-92-1	210	5.5	mg/Kg


  
Analyst

  
Approved


Qualifiers: B - Analyte detected in the associated Method Blank, value not subtracted from result  
E - Extrapolated value. Value exceeds calibration range  
H - Sample analysis exceeded analytical holding time  
J - Indicates an estimated value when the compound is detected, but is below the LQL  
S - Spike Recovery outside accepted limits  
U - Compound analyzed for but not detected  
X - See case narrative  
\* - Value exceeded the Maximum Contamination Level (MCL), TCLP limit, or if compound is undetected, LQL exceeds MCL.

Definitions: NA - Not Applicable  
LQL - Lower Quantitation Limit  
Surr - Surrogate

Print Date: 4/17/06


3330 Franklin Street Approx 4  N


Alley




Sections	# of Grids	Sample Points
01	61	5
02	150	13
03	100	8
04	40	3

$$351/30 = 11.7$$

VB-3330-FR-01  Green 1051

VB-3330-FR-02  Yellow 1648

VB-3330-FR-03  Red 1050

Franklin Street

6226  
3-28-06  
melmv



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY**

**REGION 8**

**Victor Ketellapper**

**Phone 800-227-8917**

**<http://www.epa.gov/region08>**

**CONSENT FOR ACCESS TO PROPERTY**

**Name: Dennis M & Alice E Hudson (or current property owner)**

**Location of Property: 3330 Franklin St Apprx**

**Property ID: 6226**

I consent to officers, employees, and authorized representatives of the United States Environmental Protection Agency (EPA) entering and having continued access to the above referenced property for the purpose of taking samples of soil on the Site.

I realize that these actions are undertaken pursuant to EPA's response and enforcement responsibilities under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA or Superfund), 42 U.S.C. § 9601 *et seq.*

Geraldine N. Jackson

Printed Name

(303) 329-6836

Phone Number

Geraldine N. Jackson

Signature

03.17.06

Date